

THE FILA  
(body chemistry analyzer)

by

Philip Mazeikas

CONCEPT:

Differential upon stasis of inert frequency of dissension of variable determinant influx derives instantaneous congruence.

BLUEPRINT:

In measure upon a inborn insurmountable release of interpreted flux, the longitudinal frequency inborn upon a static limit denotes all velocity of return.

SYNOPSIS:

Interpreted beyond the limit of dissension of static release, the measure inborn beyond the limit of sequential derivative returns.

SCHEMATIC:

SULFUR

*"invariable postulate"*

→

MAGNESIUM

*"derivative"*

→

DIODE

*"interval"*

→

VACUUM

*"displaced variance"*

→

INFRARED

*"inverse threshold"*

→

OSCILLATOR

*"return"*

DESIGN:

The sulfur defines incongruence upon differential of measure and indeterminant velocity. The magnesium defers postulate of inert dislocation of pressure. The diode measures variant dissension of interval of derivative of gravitational axis. The vacuum enters prelocation of vestige of intermediary threshold. The infrared determines frequency upon stasis of congruent field. The oscillator measures variable static limit.

POSTULATE:

Congruent variable axis upon dislocated gravitational inert measure enters one.

ENGINEERING:

Threshold upon dissemination of instantaneous pressure defines intermediary vestige of absolute.

THEORY:

Pressure upon dislocated variant determinant of threshold of stasis measures velocity.

ANALYSIS:

Postulate upon invariable limit defers congruence.

CONCLUSION:

The Fila enters value upon influx of determined field.

PROSPECT:

The Fila determines measure upon instantaneous threshold of differential of inert postulate and derivative of field.