

ROMAWAVEAMP
[longitudinal retention wave quotient]

By

Philip Mazeikas

CONCEPT:

Interanalogous retention of isometric variance in fission of diametric variable consort of measure in time intermediary of volume in constant of field, enters selection of measure in prelocation of variable diametric constant of wave joule selection.

BLUEPRINT:

Pressure, in analog of field, in consort of field and a measure of field and entropy, confers selection of measure in pressure of recourse of variable atomic intermediary limit of wave retention.

SYNOPSIS:

Selection of field, in analogous retention of fission in limit of recourse of variable longitudinal pressure recurs variable mass in tonation of selection of calculable order of internment of variable dimensional value.

SCHEMATIC:

G

“wave interval”

→

HERTZ

“limit”

→

RETINA

“rule”

→

VACUUM

“interval”

→

WAVE PRESSURE

“allocation”

→

NEUTRON

“pressure”

→

FIELD

“selection”

→

CARBON

“threshold”

→

MEGAWATT

“fission”

DESIGN:

The G determines allocated retention of isolation in material threshold of interval of atomic pressure. The hertz measure quotient of field in mitigation of allocated mass. The retina limits field in conference of stasis and allocated wave diameter. The vacuum limits variance. The wave pressure interns variable mass in tonation of entropy. The neutron confers isolation in meter of stasis. The field confers threshold upon isolation of inert retention of wave selection. The carbon recurs mass in tonation of measure. The megawatt derives threshold upon measure of incongruent wave value.

POSTULATE:

Limit, in conference of stasis and material pique of threshold of mass, recurs variable internment of calculable retention of inert axis of variable selection of wave conference of dimensional value and allocated inertia of composite selection of cosin intermediary limit of material joule diametric field.

ENGINEERING:

Postulate, in refrain of allocated inert material intermediary value of isolation and retention of wave inert limit of selection, enters intermediary conference of stasis and mitigation of entropy.

THEORY:

Inert variable mass, upon property of axis of selection of internment of calculable isolation in atomic internment of variable protonic isolation, defers isolation.

ANALYSIS:

Pressure, in field of retention of limit of quotient in allocated dimension of calculable retention of wave inert measure, defers retention of interval of mitigation of entropy.

CONCLUSION:

Pressure, in retention of sin limit of analogous interval of isometry, recurs selection in tonation of atomic mitigation of gravity.

PROSPECT:

Limit, in retention of pressure, of interanalogous isometry of mitigation of wave internment of value, determines axis.